

## **ELASTRON SA**

Ag. Ioannis Str., Ag. Ioannis Aspropyrgos,19300, Greece

Tel: 210 5515000 Fax: 210 5515015 www.elastron.gr elastron@elastron.gr

## **Declaration of Performance**

## No. UA/40/100/40

Product Type	Metal framing components for gypsum board systems	
	(Channel UA) UA/40/100/40	
<b>Code of the Product Type</b>	UA/40/100/40	
Commercial Name	UA 100X40	
Intended Use	Building construction works in conjunction with gypsum	
	boards	
Manufacturer	ELASTRON SA, Ag. Ioannis Str., Ag. Ioannis	
	Aspropyrgos,19300, Greece	
Verification of Constancy	System 4	
Harmonised Standard Reference	EN14195:2014	
	The initial type tests performed and the factory production	
	control (FPC) are in accordance with the above standard's	
	requirements	

Essential Characteristic	Performance	Harmonised Technical Specification
Reaction to Fire	A1	EN14195:2014
Yield Strength	$\geq$ 140 N/mm <sup>2</sup>	EN14195:2014
Dangerous Substances	NPD	EN14195:2014

The performance of the product identified above is in conformity with the declared performance identified in the table. This declaration of performance is issued in accordance with regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

On behalf of the manufacturer Aspropyrgos 27/04/21

Sinapis Mavroidis Technical Director Tsironis Petros Quality Manager